

L Number	Hits	Search Text	DB	Time stamp
73	237960	(CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:30
74	74543	(digital or electronic) near2 (camera or imaging)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:30
75	76815	(step\$4 near5 (zoom\$4 or mode\$1))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:30
76	123762	(focal or focus\$3) near5 (length or distance or point)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:30
77	414	(optic\$2 adj2 zoom\$4) and ((electronic or digital) adj2 (enlarg\$4 or zoom\$4))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:30
78	17880	len\$1 adj1 barrel	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:30
79	451279	(focus\$3)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:30
80	48428	zoom\$4	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:30
81	362448	cam	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:30
83	15467	(compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:31
84	4952	(varia\$4 or len\$1) near5 (zoom\$4) near5 (back or last or end or second)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:31
85	526	((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) with ((varia\$4 or len\$1) near5 (zoom\$4) near5 (back or last or end or second))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:31
87	1770	((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) and ((varia\$4 or len\$1) near5 (zoom\$4) near5 (back or last or end or second))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:31
92	411	((saw adj1 tooth\$2) or (step\$4)) near2 locus	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:32
94	1927	(positive) near2 ((focal or focus\$3) near5 (length or distance or point))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:33

95	1803	((negative) near2 ((focal or focus\$3) near5 (length or distance or point)))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:33
96	474	((negative) near2 ((focal or focus\$3) near5 (length or distance or point))) near3 (back or last or end or second or rear)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:33
97	218	((positive) near2 ((focal or focus\$3) near5 (length or distance or point))) near3 (forward or front\$2 or first)) and (((negative) near2 ((focal or focus\$3) near5 (length or distance or point))) near3 (back or last or end or second or rear))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:33
98	481	((positive) near2 ((focal or focus\$3) near5 (length or distance or point))) near3 (forward or front\$2 or first)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:33
101	481	((positive) near2 ((focal or focus\$3) near5 (length or distance or point))) with (forward or front\$2 or first)) and (((negative) near2 ((focal or focus\$3) near5 (length or distance or point))) with (back or last or end or second or rear))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:33
82	124	((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus))) or ((digital or electronic) near2 (camera or imaging))) and ((step\$4 near5 (zoom\$4 or mode\$1))) and ((focal or focus\$3) near5 (length or distance or point)) and (len\$1 adj1 barrel) and cam and ((focus\$3) ) and zoom\$4	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:33
102	872	((positive) near2 ((focal or focus\$3) near5 (length or distance or point))) with (forward or front\$2 or first)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:33
104	850	((negative) near2 ((focal or focus\$3) near5 (length or distance or point))) with (back or last or end or second or rear)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:34
105	1701	(varia\$4 or len\$1) near5 (zoom\$4) near5 (rear)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:34
109	708	((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) and ((varia\$4 or len\$1) near5 (zoom\$4) near5 (rear))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:34
110	178	(optical adj1 zoom\$4) with (electronic adj1 zoom\$3)	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:34
112	595493	(CCD or camera or imager or (imag\$3 adj1 (sensor or device or apparatus or pickup or array)))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:35
86	227	((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus))) or ((digital or electronic) near2 (camera or imaging))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) with ((varia\$4 or len\$1) near5 (zoom\$4) near5 (back or last or end or second)))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:35

88	266	(((((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging)))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) and ((varia\$4 or len\$1) near5 (zoom\$4) near5 (back or last or end or second)))) and ((step\$4 near5 (zoom\$4 or mode\$1))))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:35
89	154	(((((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging)))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) and ((varia\$4 or len\$1) near5 (zoom\$4) near5 (back or last or end or second)))) and ((step\$4 near5 (zoom\$4 or mode\$1)))) not (((((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging)))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) with ((varia\$4 or len\$1) near5 (zoom\$4) near5 (back or last or end or second))))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:35
90	40	front adj1 lens adj1 focus	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:35
91	59	(((((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging)))) and ((step\$4 near5 (zoom\$4 or mode\$1)))) and ((focal or focus\$3) near5 (length or distance or point)) and (len\$1 adj1 barrel) and cam and ((focus\$3) ) and zoom\$4) not (((((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging)))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) with ((varia\$4 or len\$1) near5 (zoom\$4) near5 (back or last or end or second)))) or (((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging)))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) and ((varia\$4 or len\$1) near5 (zoom\$4) near5 (back or last or end or second)))) and ((step\$4 near5 (zoom\$4 or mode\$1)))) or (front adj1 lens adj1 focus))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:35
93	47	((((saw adj1 tooth\$2) or (step\$4)) near2 locus) and (((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging))))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:35
99	120	(((((positive) near2 ((focal or focus\$3) near5 (length or distance or point))) with (forward or front\$2 or first)) and (((negative) near2 ((focal or focus\$3) near5 (length or distance or point))) with (back or last or end or second or rear))) and (((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging))))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:35
100	25	(((((positive) near2 ((focal or focus\$3) near5 (length or distance or point))) near3 (forward or front\$2 or first)) and (((negative) near2 ((focal or focus\$3) near5 (length or distance or point))) near3 (back or last or end or second or rear))) and (((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging))))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:35

103	247	(((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) and ((varia\$4 or len\$1) near5 (zoom\$4) near5 (back or last or end or second))) and ((step\$4 near5 (zoom\$4 or mode\$1)))) not (((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) with ((varia\$4 or len\$1) near5 (zoom\$4) near5 (rear))))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:35
106	88	(((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) with ((varia\$4 or len\$1) near5 (zoom\$4) near5 (rear)))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:35
107	238	((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) with ((varia\$4 or len\$1) near5 (zoom\$4) near5 (rear))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:36
108	93	(((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging))) and ((step\$4 near5 (zoom\$4 or mode\$1))) and ((focal or focus\$3) near5 (length or distance or point)) and (len\$1 adj1 barrel) and cam and ((focus\$3) ) and zoom\$4) not (((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) with ((varia\$4 or len\$1) near5 (zoom\$4) near5 (rear))) or (((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) and ((varia\$4 or len\$1) near5 (zoom\$4) near5 (rear))) and ((step\$4 near5 (zoom\$4 or mode\$1)))) or (front adj1 lens adj1 focus))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:36
111	53	(((CCD or imager or (imag\$3 adj1 (array or device or pickup or sensor or aparatus)))) or ((digital or electronic) near2 (camera or imaging))) and (((compensat\$4 or len\$1) near5 (focus\$4) near5 (forward or front\$2 or first)) and ((varia\$4 or len\$1) near5 (zoom\$4) near5 (rear))) and ((step\$4 near5 (zoom\$4 or mode\$1)))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:36
113	170	((optical adj1 zoom\$4) with (electronic adj1 zoom\$3)) and ((CCD or camera or imager or (imag\$3 adj1 (sensor or device or apparatus or pickup or array))))	USPAT; US-PGPUB; JPO; DERWENT	2004/05/19 08:36